

2014 MAY -7 AM 8: 46

THE STATER SUPPL

May be emailed to: <u>Melanie. Yanklowski@msdh.state.ms.us</u>

5 mpw

MISS		IPPI STATE DEPA		
	BUI	REAU OF PUBLIC	WATER SU	JPPLY
		CCR CERTIF		
0.	-	CALENDAR Y	EAR 2013	*
Citu	or	Calhour City	Water	Department
J		Public Water St	ipply Name	

	List PWS ID #s for all Community Water Systems	ems included in this CCR
The Cons syste custo emai	Federal Safe Drinking Water Act (SDWA) requires each Commun sumer Confidence Report (CCR) to its customers each year. Deperm, this CCR must be mailed or delivered to the customers, published omers upon request. Make sure you follow the proper procedures will a copy of the CCR and Certification to MSDH. Please check all the copy of the CCR and Certification to MSDH.	
图	Customers were informed of availability of CCR by: (Attach c	opy of publication, water bill or other)
	Advertisement in local paper (attach copy of On water bills (attach copy of bill)  Email message (MUST Email the message to Other	the address below)
	Date(s) customers were informed:/,/	/ /
Last	CCR was distributed by U.S. Postal Service or other direct methods used	et delivery. Must specify other direct delivery
	Date Mailed/Distributed: 4 / 30 / 14	
D°	CCR was distributed by Email (MUST Email MSDH a copy)  As a URL (Provide URL  As an attachment  As text within the body of the email message	Date Emailed: / /
$\bowtie$	CCR was published in local newspaper. (Attach copy of publis	hed CCR or proof of publication)
	Name of Newspaper: Calhour Co. Journal	
	Date Published: 4 / 30 / 14	1 20
	CCR was posted in public places. (Attach list of locations)	Date Posted: 4/30/14
	CCR was posted on a publicly accessible internet site at the fol	lowing address ( <u>DIRECT URL REQUIRED</u> ):
I here publi the S the v Depa	TIFICATION  eby certify that the 2013 Consumer Confidence Report (CCR c water system in the form and manner identified above and DWA. I further certify that the information included in this water quality monitoring data provided to the public water terment of Health, Bureau of Public Water Supply.  Title (Président, Mayor, Owner, etc.)	I that I used distribution methods allowed by CCR is true and correct and is consistent with
Burea P.O. I	er or send via U.S. Postal Service: nu of Public Water Supply Box 1700 on, MS 39215	May be faxed to: (601)576-7800  May be emailed to:

#### 2013 Annual Drinking Water Quality Report Calhoun City Water Department PWS#: 0070004 April 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from three well drawing from the Gordo Formation Aquifer.

If you have any questions about this report or concerning your water utility, please contact Perry Goodson at 662.983.5670. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:30 PM at the Calhoun City- City Hall.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Calhoun City Water Department have received lower to moderate susceptibility rankings to contamination.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2013. In cases where monitoring wasn't required in 2013, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST R	ESU	LT	S				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Meast -mer	ure	MCLG	MCL		Likely Source of Cor	ntamination
Radioactiv	ve Cont	aminar	ıts								
5. Gross Alpha	N	2012*	10	.4 - 10		pCi/L		0		15	Erosion of natura deposits
6. Radium 226 Radium 228	Y	2012*	5.1	No Range		pCi/1		0		5	Erosion of natura deposits
Inorganic	Contar	ninants					•				
8. Arsenic	N	2011*	2.1	1.7 – 2.1	ppb		n/a	50		Erosion of natural de orchards; runoff fron electronics production	glass and
10. Barium	N	2011*	.16	.1016	ppm		2		2 Discharge of drilling wastes; discharge		

								from metal refineries; erosion of natural deposits		
13. Chromium	N	2011*	.8	.78	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits		
14. Copper	N	2009/11*	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
16. Fluoride**	N	2011*	1.77	.37 1.77	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories		
17. Lead	N	2009/11*	2	0	ppb	0		Corrosion of household plumbing systems, erosion of natural deposits		
19. Nitrate (as Nitrogen)	N	2013	.19	No Range	ppm	10		Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits		
20. Nitrite (as Nitrogen)	N	2013	.46	No Range	ppm	1	İ	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits		
21. Selenium	N	2011*	5.9	5.7 – 5.9	ppb	50		Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines		
Disinfection	on By	-Products	S				_			
Chlorine	N	2013	.9	.4-6	Mg/l	0	MDRL = 4	Water additive used to control microbes		

<sup>\*</sup> Most recent sample. No sample required for 2013.

We routinely monitor for the presence of drinking water contaminants. In 2012 testing results we received show that our system exceeded the standard, or maximum contaminant level (MCL), for combined radium. The standard for combined radium is 5 pCi/L (picocuries per Liter). Our results were 5.7 pCi/L. We have increased the frequency that we will test the water for combined radium. We are working with the MSDH to evaluate the water supply and are researching options to correct the problem.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Calhoun City is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride samples results were within the optimal ranger of 0.7 – 1.3 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7 – 1.3 ppm was 92%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Calhoun City Water Department works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: this report will not be mailed to the customers individually, however, a copy may be requested from City Hall.

<sup>\*\*</sup> Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

DE L'ANDER SUPPLE

## **Proof Of Publication**

### STATE OF MISSISSIPPI, COUNTY OF CALHOUN

Personally came before me, the undersigned, a Notary Public, in and for Calhoun County, Mississippi, Joel McNeece, Publisher of The Calhoun County Journal, a newspaper published in Bruce, Calhoun County, in said state, who being duly sworn, deposes and says that The Calhoun County Journal is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1858 of the Mississippi Code of 1942, and the publication of a notice, of which annexed copy, in the matter of

# CALHOUN CITY PUBLISHING WATER QUALITY REPORT

has been made in said newspaper one time, towit:

On the 30 day of APR 2014

McTCllce
Joel McNeece
Publisher

Sworn to and subscribed before me, this 30 day of MAY 2014.

Lisa Denley McNeece, Notary Public

My comin Miss expires March 28, 2018

LISA DENLEY McNEECE

Commission Expires

March 28, 2018

## Calhoun City Water Department Drinking Water Quality Report

2013 Annual Drinking Water Quality Reportant City Water Department PWS#: 0070004

With pleased to present to you this year's Annual Questy Water Report. This report is designed to inform you should the quality water and mannifect meditivers to you every dairy. Our constant goal is a process you with a safe had dependable apply of chicking water. We want you understand the efforts we make to continuely improve the water treatment process and present and our designed and our continuely improve the water treatment process and present and our designed and our continuely improve the water treatment process and present and our designed and our continuely improve the water treatment process.

If you have any questions about this report or concerning your water orbity, places contact Perry. Goodson at 862.893.5670. We want to existed customers to be informed about their water utility. If you want to learn more, places attend any of our regularly scheduled meetings. 20 May are bet in the first Tuesday of each month at 60 AP but the Calbruin City. City Hall.

The succo varier reseasured has been completed for our public water system to determine the coveral suscippibility of as diskishing water subject to determine the coveral suscippibility of as diskishing water subject to determine the coveral suscippibility determined to the subject to the coverage of contaminations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Calboun City Water Description that we necessarily considerate successful the conductate susceptibility resistance to obtain situation.

We routinely monitor for constituents in your drinking water scording to Faderal and State leven. This table below risk as of the drinking water continuants that we detected during for the pend of January 116 Desember 317, 2013. In cases where monitoring want precipied in 2013 the table reflects the most recent results. As writer fravels over the surface of land or underground, it disastes naturally occurring minerals in some cases, rediscively materials and can pick by authorizons or containmants from the presence of arimats or from human scinity, microbial contaminants, such as visues and buders, that may come from sevege freshment plants, aspite systems, agricultural lovestook containmants, such as visues and buders, that may come from sevege freshment plants, aspite systems, agricultural lovestook containmants, such as visues and buders, that may come from sevege freshment plants, aspite systems, agricultural lovestook containmants, such as visies of sources, such as agriculture, urban storm-water funoff, and residential uses; organic chemical containmants, including symbols and visible proposess and petviewing production, and come from from from general containmants and performance of the control of control of control of the c

in this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Lavel - the concentration of a contaminant which, if exceeded, triggers transment or other requirements which a water system must

Missimum Contaminant Level (MCL) - The "Movimum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contembant Level Goal (MCLG) - The "Goal (MCLG) is the level of a contembant in drinking water below which there is no known or expected thick to health. MCLGs allow for a margin of safety.

Maximum Residual Dismoctant Level (MRDL) - The highest level of a delinfectant aboved in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

if Meximum Residual Disinfectant Level Goel (MRDLG) — The level of a donking water disinfectant below which there is no known or expe

Parts per million (ppm) or Milligrams per Mer (mg/l) - one part per million corresponds to one mirute in two years or a single penny in \$10,000

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000 to

				TEST	RESI	JLT	'S					
Contaminent	Violation Y/N	Date Collected	Level Detecte	Range of Deter or # of Sample Exceeding MCL/ACL	s Mes	nii Supe ent	MCLG	FAC	ı.	Likely Source of Cor	Contamination	
Radioacti	ve Con	tamina	nts									
6. Gross Alpha	N	20121	10	.4 - 10		PCV	-	0	Γ	15 Erosion of na		
6. Radium 226 Radium 228	Υ.	2012-	5.1	No Range		pCd	1	0		5	Erosion of natura	
Inorganic	Contai	ninants	3									
B. Amenio	N	2011"	2.1	1,7 - 2.1	ppb		54	T	50	Erosion of natural de orchards; runoff from electronics production	glass and	
10, Barlum	N	2015*	.16	.1018	роп		;		2	Discharge of drilling	wastes; discharge	
			Γ	T		1		<u></u>	7	from metal refineries deposés	erosion of natural	
13. Chromium	М	2011*	A	.78	bbp	П	100		00	Discharge from stael and pulp mile; erosion of natural deposits		
14. Copper	N	2009/11*	.3	T <sup>o</sup>	ppm		13	AL	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.		
16. Fluoride**	N	2011*	1,77	.37-1.77	ppm		4		1	Erosion of natural deposits; water additive which promotes alrong teath discharge from fertilizer and aluminum factories		
17. Lead	N	2009/11*	2	0	ppb		0	AL:		Corrosion of household plumbing systems, erosion of natural deposits		
19. Nitralo (as Nitrogen)	N	2013	.19	No Range	ppris		10		10	Runoff from ferbitzer septic lanks, sewage deposits	use; teaching from	
70. Nitrite (as Hitrogen)	H	2013	.48	No Range	ppm		•		- 1	Runoff from fertilizer i soptic tanks, sewage deposits	use; leaching from erosion of natural	
t. Selenium	N	2011" .	5.9	5.7 5.9	ρρο		50		- 1	Discharge from petrol refineries; erosion of discharge from mines	ratural deposits:	
Disinfectio	n By-P	roducts	1			-						
Chilorine	N	2013	.0	.4-6	Mg/l	T	0	MOR	L = 4	Water additive use	d to control	

Most recent sample. No sample required for 2013. Fluoride level is routinely adjusted to the MS State Deat of Health's recommended lovel of 67 - 13 mat.

We routifully monitor for the presence of drinking water contaminants. In 2012 testing results we received show that our system exceeded the standard, or meanmum contaminant level (MCL), for combined radium. The standard for combined radium is 5 pC/U. (piccouries per Liter). Our results were 5.7 pC/U. We have known that he waster for combined radium. We are wonting the MSDM if

If present, elevanted levels of lead can cause serious health problems, especially for prognent women and young children. Lead in dinking water is primarily from materials and components essentiated with envision lines and home planning. Our Water Association is responsibly in providing high quality driving water, but cannot control the variety of materials used to planning components. Witness well as the satisfied for several hours, you can indivinable the potential for feed organize by flushing operate for 40 alleges and the planning of the provided of the planning of the provided or the provided


To comply with the "Regulation Governing Fluorisation of Community Water Supplies", the City of Cathoun City is required to report certain results pathship of Bruddston of our water system. The number of months is the provious calendar year is which average Budde surplus results were within the optimal ranger of 0.7 ~ 1.3 gpm, was 11. The percentage of fluoriest surplus oblication in the provious celeratar year the way within the optimal ranger of 0.7 ~ 1.3 gpm, was 11. The percentage of fluoriest surplus oblication in the provious celeratar year the

All sources of drinking water are subject to potential contamination by aubstances that are naturally occurring or man made. These substances in introdes, increasing or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be respected to contaminate all seat small amounts of some conformants. The prevence of contaminates does not necessarily include that the water posses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection formation in the process of the problem formation and the process of the problem of the process of the problem formation and production of the problem of the probl

Some people may be more vulnerable to contaminants in drinking water than the general population, Immuno-compromised persons such as persons with cancer undergiving chemotherapy, persons who have undergone organ transplants, people with HMAIDS or other mental system disorders, some olderly, and interiats can be particularly in this from infections. Three people should seek active about drinking water from their health care providers. EPA/CDC guidalines on appropriate means to leaten the tisk of infection by cryptosporidium and other microbiological contaminants are evaluable from the Safe Dhinking Water Holitor 1-800-204-2191.

The Cathoun City Water Department works around the clock to provide top quality water to every tap. We ask that at our customers helpprotect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: this report will not be mailed to the customers individually, however, a copy may be requested from City Hail.



### RETURN SERVICE REQUESTED

